

# NADY AUDIO

## Features, Instructions & Technical Data

# GAC-412 *Angled Guitar Cabinet*



### *Congratulations!*

You have just purchased one of the finest guitar cabinets on the market today. The GAC-412 was developed using the expertise of professional sound engineers and working musicians. You will find your new NADY AUDIO guitar cabinet has superior performance and greater flexibility than any other guitar cabinet in its price range.

We recommend that you read this instruction sheet carefully to get the most out of your new unit. Thanks for selecting the NADY GAC-412 as your choice in guitar cabinets.

## FEATURES AND SPECIFICATIONS

- Full-size angled front cabinet
- Prominent bass, warm mids, and a high end that cranks
- 4 x 12" Nady PowerDrive™ speakers with 400W power handling
- Rugged, roadworthy construction with steel corners
- Recessed steel carrying handles and heavy-duty casters for easy mobility
- Durable textured black tolex covering
- Steel rear panel terminal with dual 1/4" speaker inputs for easy daisy-chaining
- Sturdy front steel grille
- Top panel recessed holders for Nady guitar amp head
- Impedance: 8Ω
- Power Handling: 400W Peak (200W RMS)
- Cabinet Material: MDF
- Weight: 94.7 lbs. (43kg)
- Dimensions (HWD): 30" x 28" x 14.3" (76x71x36cm) (height does not include wheels)

## WARNINGS IMPORTANT SAFETY INSTRUCTIONS

When using this speaker, basic precautions should always be taken, including the following:

- Read all instructions before using the product.
- This product may be capable of producing sound levels that could cause permanent hearing loss. Do not operate for a long period of time at a high volume level or at a level that is uncomfortable. If you experience any hearing loss or ringing in the ears, you should consult an audiologist.
- To avoid damage to the drivers, never overload the speaker.
- To avoid the risk of fire, do not ever expose the speaker to a source of naked flames. Also, it should be located away from heat sources such as radiators, heat vents, or other devices (including amplifiers) that produce heat.
- The product should be positioned so that proper ventilation is maintained.
- This speaker is designed for indoor use only. Do not expose to weather or high humidity, rain, etc.
- Care should be taken so that objects do not fall into, and liquids are not spilled through, the enclosure's openings. Do not place containers of liquids on the speaker.
- The product should be connected to a power supply only of the type described in the operating instructions or as marked on the product. Replace the fuse only with one of the specified type, size, and correct rating.
- The power supply cord should: (1) be undamaged, (2) never share an outlet or extension cord with other devices so that the outlet's or extension cord's power rating is exceeded, and (3) never be left plugged into the outlet when not being used for a long period of time.
- Don't place any heavy appliance or object on the speaker enclosure.
- This product should be serviced by qualified service personnel if:
  - A. Objects have fallen into, or liquid has been spilled onto the product.
  - B. The product has been exposed to rain.
  - C. The product does not appear to operate normally or exhibits a marked change in performance.
  - D. The product has been dropped, or the enclosure damaged.
- Do not attempt to service this unit yourself. All servicing should be referred to qualified service personnel.

## SERVICE FOR YOUR NADY AUDIO PRODUCT

**(U.S.)** Should your NADY AUDIO product require service, please contact the Nady Service Department via telephone at (510) 652-2411 or e-mail to [service@nady.com](mailto:service@nady.com).

**(International)** For service, please contact the NADY AUDIO distributor in your country through the dealer from whom you purchased this product.



NADY SYSTEMS, INC. • 6701 SHELLMOUND STREET, EMERYVILLE, CA 94608  
Tel: 510.652.2411 • Fax: 510.652.5075 • [www.nady.com](http://www.nady.com)